09/264,065 East Search 8/8/02

(handwritten initials)

Type	Count	Query	Databases
BRS	4925	command near4 channel	USPAT; EPO; DERWENT
BRS	49804	data near4 channel	USPAT; EPO; DERWENT
BRS	996	(command near4 channel) with (data near4 channel)	USPAT; EPO; DERWENT
BRS	24	((command near4 channel) with (data near4 channel)) same modem$1	USPAT; EPO; DERWENT
BRS	958	command adj channel$1	USPAT; EPO; DERWENT
BRS	16819	data adj channel$1	USPAT; EPO; DERWENT
BRS	10	((command adj channel$1) same (data adj channel$1)) and modem	USPAT; EPO; DERWENT
BRS	1	4817147.pn. and (buffer$ or memory or ram)	USPAT; EPO; DERWENT
BRS	7	modem$1 same (command near2 buffer$1) same (data near2 buffer$1)	USPAT; EPO; DERWENT
BRS	102	modem$1 and (command near2 buffer$1) same (data near2 buffer$1)	USPAT; EPO; DERWENT
BRS	100	(modem$1 and (command near2 buffer$1) same (data near2 buffer$1)) and @ad<19990308	USPAT; EPO; DERWENT
BRS	2	6035019.pn. and data	USPAT; EPO; DERWENT
IS&R	1628	(375/222,219,220).CCLS.	USPAT; EPO; DERWENT
BRS	7	((375/222,219,220).CCLS.) and (((command near4 channel) with (data near4 channel)) same modem$1)	USPAT; EPO; DERWENT
BRS	6277	logic$ near2 channel$1	USPAT; EPO; DERWENT
BRS	227362	command	USPAT; EPO; DERWENT
BRS	62110	command with data	USPAT; EPO; DERWENT
BRS	0	((logic$ near2 channel$1) with (command with data)) and @<19990308	USPAT; EPO; DERWENT
BRS	64	((logic$ near2 channel$1) with (command with data)) and AD@<19990308	USPAT; EPO; DERWENT
BRS	64	(logic$ near2 channel$1) with (command with data)	USPAT; EPO; DERWENT
BRS	0	((logic$ near2 channel$1) with (command with data)) same modem	USPAT; EPO; DERWENT
BRS	9	((logic$ near2 channel$1) with (command with data)) and modem	USPAT; EPO; DERWENT
BRS	55	((logic$ near2 channel$1) with (command with data)) not (((logic$ near2 channel$1) with (command with data)) and modem)	USPAT; EPO; DERWENT
BRS	1	(((logic$ near2 channel$1) with (command with data)) not (((logic$ near2 channel$1) with (command with data)) and modem)) and 6333789.pn.	USPAT; EPO; DERWENT
BRS	0	((((logic$ near2 channel$1) with (command with data)) not (((logic$ near2 channel$1) with (command with data)) and modem)) and 6333789.pn.) and error$1	USPAT; EPO; DERWENT
BRS	1	((((logic$ near2 channel$1) with (command with data)) not (((logic$ near2 channel$1) with (command with data)) and modem)) and 6333789.pn.) and address$1	USPAT; EPO; DERWENT